

## Accuracy Studies

1. Cheyne EH, Cavan DA, Kerr D. 2002. **Performance of a continuous glucose monitoring system during controlled hypoglycaemia in healthy volunteers.** *Diabetes Technology & Therapeutics* 4:607-613.
2. Gross TM, Bode, BW, Einhorn D, Kayne DM, Reed JH, White NH, Mastrototaro JJ. 2000. **Performance evaluation of the MiniMed continuous glucose monitoring system during patient home use.** *Diabetes Technology & Therapeutics* 2:49-56.
3. Gross TM, Ter Veer A. 2000. **Continuous glucose monitoring in previously unstudied population subgroups.** *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S27-34.
4. Gross TM, Mastrototaro JJ. 2000. **Efficacy and reliability of the continuous glucose monitoring system.** *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S19-26.
5. Monsod TP, Flanagan DE, Rife F, Saenz R, Caprio S, Sherwin RS, Tamborlane WV. 2002. **Do sensor glucose levels accurately predict plasma glucose concentrations during hypoglycemia and hyperinsulinemia?** *Diabetes Care* 25(5):889-893.
6. Zavalkoff SR, Polychronakos C. 2002. **Evaluation of conventional blood glucose monitoring as an indicator of integrated glucose values using a continuous subcutaneous sensor.** *Diabetes Care* 25(9):1603-1606.
7. Rebrin K, Steil GM, Van Antwerp WP, Mastrototaro JJ. 1998. **Reliability of interstitial glucose measurements by subcutaneous glucose sensors in humans [abstract].** In: *Diabetologia* 41(Suppl. 1):880.
8. Sharp PS, Krishna S, Rainbow S. 2001. **Glycated haemoglobin and continuous glucose monitoring [abstract].** In: *Diabetologia*; 44 (Suppl. 1):913.
9. Shin JJ, Dangui ND, Kanderian, Jr. S, Gross TM, Mastrototaro JJ. 2002. **A new retrospective calibration algorithm (New-RA) for continuous glucose monitoring provides more complete and more accurate CGMS data [abstract].** In: *Diabetes* 51 (Suppl. 2): 843.
10. Steil GM, Bernaba B, Saad M, Mastrototaro J, Rebrin K. 2000. **Accurate determination of plasma glucose during hyper- and hypoglycemia with a subcutaneous glucose sensor [abstract].** In: *Diabetes* 49 (Suppl. 1):510.

## CGMS as an Evaluation Method in Clinical Trials

11. Kessler L, Passemard R, Oberholzer J, Benhamou PY, Bucher P, Toso C, Meyer P, Penfornis A, Badet L, Wolf P, Colin C, Morel P, Pinget M, on behalf of the GRAGIL group. 2002. **Reduction in blood glucose variability in type 1 diabetic patients treated by pancreatic islet transplantation.** *Diabetes Care* 25:2256-2262.
12. Levetan C, Want LL, Weyer C, Strobel SA, Crean J, Wang Y, Maggs DG, Kolterman OG, Chandran M, Madalier SR, Henry RR. 2003. **Impact of pramlintide on glucose fluctuation and postprandial glucose, glucagons, and triglyceride excursions among patients with type 1 diabetes intensively treated with insulin pumps.** *Diabetes Care* 26:1-8
13. Javor ED, Illic S, Lee SW. 2001. **A qualitative comparison between multiple daily injections and continuous subcutaneous insulin infusion using a continuous glucose monitoring system [abstract].** In: *Diabetes* 50 (Suppl. 2):1828.

14. Meyer L, Boullu-Sanchis S, Boeckler P, Sibenaler A, Treger M, Pinge M, Jeandidier N. 2002. **Comparison of glycemic control in 3 groups of type 1 diabetic patients treated with multiinjections and Lispro (MDI), continuous subcutaneous insulin infusion with Lispro (CSII) or continuous peritoneal insulin infusion (CPII): Data of continuous subcutaneous glucose sensing (CGMS) [abstract].** In: *Diabetes* 51 (Suppl. 2): 502.

## Diet, Education, & Exercise

15. Adolfsson P, Lindblad B, Jönsson A-G, Andreasson C, Hanas R. 2000. **Use of continuous glucose monitoring and microdialysis measurements during physical exercise among adolescents with type 1 diabetes [abstract].** In: *Journal of Pediatric Endocrinology & Metabolism* 13 (Suppl. 4):32.
16. Kruger D, Marcus AO. 2000. **Psychological motivation and patient education: a role for continuous glucose monitoring.** *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S93-97.
17. Brynes AE, Lee JL, Brighton RE, Leeds AR, Dornhorst A, Frost GS. 2003. **A low glycemic diet significantly improves 24-h blood glucose profile in people with type 2 diabetes, as assessed using the continuous glucose MiniMed monitor [Letter to the Editor].** *Diabetes Care* 26:548-549.
18. Carr JM, Corcoran MH. 2002. **Continuous glucose monitoring in marathon runners with type 1 diabetes during the 2001 Chicago Marathon [abstract].** In: *Diabetes* 51 (Suppl. 2):988.
19. Largay J, McMurray R, Sabbah HT, Bode BW, Buse JB. 2001. **A pilot study to determine the optimal insulin adjustment and carbohydrate supplementation to perform intense endurance exercise in four cyclists with type 1 diabetes [abstract].** In: *Diabetes* 50 (Suppl. 2):2030.

## Gastroparesis/Neuropathy

20. Oyibo SO, Prasad YDM, Jackson NJ, Jude EB, Boulton AJM. 2002. **The relationship between blood glucose excursions and painful diabetic peripheral neuropathy: a pilot study.** *Diabetic Medicine* 19:870-873.
21. Tanenberg RJ, Pfeifer, MA. 2000. **Continuous glucose monitoring system: a new approach to the diagnosis of diabetic gastroparesis.** *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S73-80.
22. Oyibo SO, Prasad YDM, Jackson NJ, Jude EB, Boulton AJM. 2001. **Glycaemic excursions and painful diabetic peripheral neuropathy [abstract].** In: *Diabetologia* 44 (Suppl. 1):1149.
23. Tanenberg RJ, Scott CM, Andrus MA. 2002. **Use of the Medtronic MiniMed CGMS in the diagnosis of diabetic gastroparesis [abstract].** In: *Diabetes* 51 (Suppl. 2): 2158.

## General

24. Bode BW. 2000. **New opportunities for therapeutic changes with continuous glucose sensing.** *Diabetes Spectrum* 13 (3):171-174.
25. Bode BW. 2000. **Clinical utility of the continuous glucose monitoring system.** *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S35-41.

26. Mastrototaro JJ. 1999. **The MiniMed continuous glucose monitoring system (CGMS)**. *Journal of Pediatric Endocrinology and Metabolism* 12:751-758.
  27. Mastrototaro JJ. 2000. **The MiniMed continuous glucose monitoring system(CGMS)**. *Diabetes Technology & Therapeutics* 2 (Suppl 1):S13-18.
  28. Rebrin, K and Steil, GM. 2000. **Can interstitial glucose assessment replace blood glucose measurements?** *Diabetes Technology & Therapeutics* 2 (No. 3):461-471.
  29. Rebrin K, Steil GM, Van Antwerp WP, Mastrototaro JJ. 1999. **Subcutaneous glucose predicts plasma glucose independent of insulin: implication for continuous monitoring**. *American Journal of Physiology* 277 (Endocrinology and Metabolism 40): E561-E571
  30. Sadler CE, Einhorn D. 2000. **Office Logistics: Implementation of the Continuous Glucose Monitoring System in Clinical Practice**. *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S89-91.
  31. Skyler, JS. 2000. **The economic burden of diabetes and the benefits of improved glycemic control: the potential role of a continuous glucose monitoring system**. *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S7-12.
  32. Blumauer N, Steil GM, Voskanyan G, Mastrototaro J, Rebrin K. 2000. **Continuous glucose monitoring following subcutaneous (sc)insulin injection [abstract]**. In: *Diabetes* 49 (Suppl.1):392.
  33. Boyne MS, Silver DM., Kaplan J, Saudek CD. 2000. **Timing of changes in interstitial and blood glucose measured with a continuous subcutaneous glucose sensor [abstract]**. In: *Diabetes* 49 (Suppl. 1):398.
  34. Djurhuus CB, Jungheim K, Gravholt CH, Kapitza C, Wientjes KJ, Koschinsky T, Heinemann L, Christiansen JS. 2002. **Subcutaneous continuous glucose monitoring reveals insight into long-term management of diabetes through a tight correlation of time spent in hyperglycemia vs. HbA1c [abstract]**. In: *Diabetes* 51 (Suppl. 2):388.
  35. Einhorn D, Sadler C, Fink RI. 2000. **New insights on glycemic control in the ambulatory setting: MiniMed's continuous glucose monitoring system [abstract]**. In: *Endocrine Society 82nd annual meeting program; 2000 Jun 21-24; Toronto, Canada. Abstract nr P 424.*
  36. Rebrin K, Panteleon AE, Long, KJ, Kolopp M, Steil GM. 2002. **Establishing normal glucose dynamics as target for diabetes management by automated insulin infusion [abstract]**. In: *Diabetes* 51 (Suppl. 2):455.
  37. Rebrin K, Steil GM, Gross TM, Van Antwerp W, Mestman J, Mastrototaro JJ. 1999. **Delay correction and smoothing of subcutaneous glucose sensor measurements [abstract]**. In: *Diabetes* 48 (Suppl. 1):1587.
  38. Sabbah H, McCulloch K, Fredrickson LP, Gross TM, Bode BW. 2000. **Detailed data from a continuous glucose monitoring system (CGMS) facilitates comprehensive diabetes management recommendations [abstract]**. In: *Diabetes* 49 (Suppl. 1):718.
  39. Gross TM, Jeng LM, Davidson PC, Van Antwerp WP. 2001. **A model of continuous glucose sensor data predicts HbA1c in type 1 versus type 2 diabetes [abstract]** In: *Diabetes* 50 (Suppl 2):461
  40. Levetan CS, Jeng LM, Thornton KR, Want LL, Ratner RE. 2001. **When do glucose values best correlate with hemoglobin A1c [abstract]** In: *Diabetes* 50 (Suppl. 2):496.
  41. Phillips CA, Schaefer BJ, Danesh FR, Molitch ME. 2002. **Evaluation of glucose excursions in diabetic patients on hemodialysis using the continuous glucose monitoring system [abstract]**. In: *Diabetes* 51 (Suppl. 2): 506.
  42. Ratner RE, Jeng LM, Want, LL, Levetan CS, Thornton KR. 2001. **Identifying postprandial peaks using continuous glucose monitoring [abstract]**. In: *Diabetes* 50 (Suppl. 2):517.
  43. Steil GM, Blumauer N, Leech J, Long K, Panteleon AE, Rebrin K. 2001. **Closed loop insulin delivery using subcutaneous (sc) glucose sensing and sc insulin delivery [abstract]**. In: *Diabetes* 50 (Suppl. 2):533.
  44. Wojcicki JM, Foltynski P, Ladyzynski P, Krzymien J, Karnafel W. 2002. **A new method for the description of the continuously measured glycaemia courses [abstract]**. In: *Diabetes* 51 (Suppl. 2):1986.
- ### Gestational Diabetes
45. Jovanovic, L. 2000. **The role of continuous glucose monitoring in gestational diabetes mellitus**. *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S67-71.
  46. Buhling KJ, Engel B, Wolf C, Illic S, Elsner E, Wascher C, Heinze T, Muller C, Siebert G, Dudenhausen JW. 2002. **Influence of rich and low carbohydrate diet on the continuous glucose monitoring profile (CGMS, MiniMed) in healthy pregnant women and gestational diabetes [abstract]**. In: *Diabetes* 51 (Suppl. 2):2550.
  47. Illic S, Jovanovic L, Jeng, L. 2001. **What Is The Optimal Postprandial Glucose Monitoring System in Gestational Diabetes [abstract]**. In: *Diabetologia* 43 (Suppl. 1):820.
  48. Buhling KJ, Durzidim B, Wolf C, Illic S, Wohlfarth K, Mahmaudi M, Dudensausen JW. 2001. **Comparison of the hyperglycemia detection between the self monitoring of blood glucose (SMBG) and continuous blood glucose measurement system (CGMS; MiniMed) in gestational diabetic and non-diabetic pregnant women [abstract]**. In: *Diabetes* 50 (Suppl. 2):1597.
- ### Hypoglycemia
49. Caplin NJ, O'Leary P, Bulsara M, Davis EA, Jones TW. 2003. **Subcutaneous glucose sensor values closely parallel blood glucose during insulin-induced hypoglycemia**. *Diabetic Medicine* 20:238-241.
  50. Hirsch IB. 2001. **Hypoglycemia and the hypoglycemic unawareness syndrome**. *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S81-87.
  51. Broz J, Altannavch T, Andel M. 2001. **Continuous glucose monitoring can help to decrease frequency of symptomatic hypoglycaemia in patients with type 1 diabetes treated with continuous subcutaneous insulin infusion [abstract]**. In: *Diabetologia* 44 (Suppl. 1):837.
  52. Broz J, Andel M. 2002. **Continuous glucose monitoring can help to decrease frequency of symptomatic hypoglycaemia in patients with type 1 diabetes treated with CSII in long term follow-up [abstract]**. In: *Diabetes* (Suppl. 2):480.
  53. Caplin NJ, Bulsara M, Jones TW, Davis EA. 2001. **Subcutaneous glucose sensor values closely parallel blood glucose during hypoglycaemia [abstract]**. In: *Journal of Pediatric Endocrinology & Metabolism* 13 (Suppl. 4):31.
  54. Cheyne E, Everett J, Cavan D, Kerr D. 2000. **Making sense of type 1 diabetes. unrecognized hypoglycaemia during continuous glucose sensing [abstract]**. *Diabetologia* 43 (Suppl. 1):790.

## Hypoglycemia (continued)

55. Conrad SC, Mastrototaro JJ, Gitelman SE. 2001. **Use of CGMS in the evaluation and treatment of hypoglycemic disorders [abstract]**. In: *Pediatric Research* 49 (2-2):535.
56. Davidson PC, Sabbah H, McCulloch K, Bode BW. 2001. **Reduction in severe hypoglycemia following use of continuous glucose monitoring: a pilot study [abstract]**. In: *Diabetologia* 44 (Suppl. 1):836.
57. Deiss D, Meyer K, Kordonouri O, Danne T. 2000. **Long hypoglycemic periods detected by continuous glucose monitoring in very young children with diabetes [abstract]**. In: *Journal of Pediatric Endocrinology & Metabolism* 13 (Suppl. 4):70.
58. Gross TM, Mastrototaro J, Fredrickson LP. 2000. **Detection of unseen hypoglycemia using continuous glucose monitoring [abstract]**. In: *Diabetologia* 43 (Suppl. 1):19.
59. Gross TM, Jeng LM, Van Antwerp B, Fredrickson LP, Mastrototaro JJ. 2001. **Hypo- and hyper- glycaemic exposure estimates based on continuous glucose sensor data predict glycosylated hemoglobin [abstract]**. In: *Diabetologia* 44 (Suppl. 1):170.
60. Gross TM, Ter Veer A, Jeng LM, Bode BW, Mastrototaro JJ. 2001. **Is hypoglycemia detected by continuous glucose monitoring clinically valid [abstract]**. In: *Diabetes* 50 (Suppl. 2):1871.
61. Gross TM, Van Antwerp B, Fredrickson LP, Mastrototaro JJ. 2002. **Area under the curve analysis of CGMS profiles provides greater detail on hypo- and hyper-glycemic exposure than HbA1c [abstract]**. In: *Diabetes* 51 (Suppl. 2):493.
62. Howorka K, Pumpria J, Gabriel M, Grillmayr H. 2001. **Patient treatment satisfaction is not affected by frequency of hypoglycaemia in type 1 diabetes: investigation with continuous subcutaneous blood glucose measurement [abstract]**. In: *Diabetologia* 44 (Suppl. 1):838.
63. Kaufman FR, Halvorson M, Carpenter S, Neinstein A, Fisher LK, Devoe DJ, Pitukcheewanont P, Chang N. 2001. **Nocturnal hypoglycemia (NH) detected with the continuous glucose monitoring system (CGMS) [abstract]**. In: *Diabetes* 50 (Suppl. 2):1874.
64. Kerr D, Cheyne EH, Weiss M, Ryder J. 2001. **Accuracy of MiniMed continuous glucose monitoring system during hypoglycaemia [abstract]**. In: *Diabetologia* 44 (Suppl. 1):917.
65. Sabbah H, McCulloch K, Davidson PC, Bode BW. 2001. **Reduction in severe hypoglycemia following use of continuous glucose monitoring to guide therapy adjustment : a pilot study [abstract]**. In: *Diabetes* 50 (Suppl. 2):1877
66. Bode BW, Gross TM, Thornton KR, Mastrototaro JJ. 1999. **Continuous glucose monitoring used to adjust diabetes therapy improves glycosylated hemoglobin: a pilot study**. *Diabetes Research and Clinical Practice* 46:183-190.
67. Bode BW, Hirsch IB. 2000. **Using the continuous glucose monitoring system to improve the management of type 1 diabetes**. *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S43-48.
68. Unger J. 2002. **Case Study: A 62-year-old man with "brittle" type 1 diabetes**. *Clinical Diabetes* 20(1):37-41.
69. Armstrong DU, King AB. 2002. **Basal insulin: continuous glucose monitoring reveals less overnight hypoglycemia with continuous subcutaneous insulin infusion than with glargine [abstract]**. In: *Diabetes* 51 (Suppl. 2): 373.
70. Bode BW, Gross TM, Thornton KR, Mastrototaro JJ. 2000. **Continuous glucose monitoring facilitates sustainable improvements in glycemic control [abstract]**. In: *Diabetes* 49 (Suppl. 1):393.
71. Bode BW, Sabbah H, McCulloch K. 2001. **Continuous glucose monitoring facilitates lowering HbA1c levels in poorly controlled diabetes: results of a randomized controlled study [abstract]**. In: *Diabetes* 50 (Suppl. 2):1795.
72. Hissa MN, Ter Veer A, Fredrickson L. 2001. **Continuous glucose monitoring in therapy adjustment for patients with intensive insulin therapy [abstract]**. In: *Diabetes* 50 (Suppl. 2):14.
73. King AB, Armstrong DU, Haller S, Gross TM, Fredrickson LP. 2002. **Continuous glucose monitoring provides a novel method for evaluating rule-based estimates of insulin sensitivity [abstract]**. In: *Diabetes* 51 (Suppl. 2):422.
74. Levin P, Yutzy P, Chez N, Modi P. 2001. **Improved post-prandial glucose control with Oralin at breakfast, lunch and dinnertime [abstract]**. In: *Diabetes* 50 (Suppl. 2):497.
75. Ludvigsson J, Hanas R, Ter Veer A, Andreasson C, Isacson E, Johansson E. 2001. **Repeated use of continuous glucose monitoring in children and adolescents improved metabolic control without increasing hypoglycemia [abstract]**. In: *Diabetologia* 44 (Suppl. 1):918.
76. Sabbah H, Bode BW, McCulloch K. 2001. **A randomized, controlled study: use of a continuous glucose sensor improves HbA1c levels [abstract]**. In: *Diabetologia* 44 (Suppl. 1):919.

## Pediatric

77. Amin R, Ross K, Acerini CL, Edge JA, Warner J, Dunger DB. 2003. **Hypoglycemia prevalence in prepubertal children with type 1 diabetes on standard insulin regimen: using of continuous glucose monitoring system**. *Diabetes Care* 26:662-667.
78. Boland E, Monsod T, Delucia M, Brandt CA, Fernando S, Tamborlane WV. 2001. **Limitations of conventional methods of self-monitoring of blood glucose: lessons learned from 3 days of continuous glucose sensing in pediatric patients with type 1 diabetes**. *Diabetes Care* 24(11):1858-1862.
79. Chase HP, Kim LM, Owen SL, MacKenzie TA, Klingersmith GJ, Murtfeld R, Garg SK. 2001. **Continuous subcutaneous glucose monitoring in children with type 1 diabetes**. *Pediatrics* 107:222-226.
80. Kaufman FR. 2000. **Role of continuous glucose monitoring in pediatric patients**. *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S49-52.
81. Kaufman FR, Gibson LC, Halvorson M, Carpenter S, Fisher LK, Pitukcheewanont P. 2001. **A pilot study of the continuous glucose monitoring system**. *Diabetes Care* 24(12): 2030-2034.

## Pediatrics (continued)

82. Ludvigsson J, Isacson E. 2003. **Clinical use of glucose sensors in the treatment of diabetes in children and adolescents.** *Pract Diab Int* 20: 7-12.
83. Salardi S, Zucchini S, Santoni R, Ragni L, Gualandi S, Cicognani A, Cacciari E. 2002. **The glucose area under the profiles obtained with continuous glucose monitoring system relationships with HbA1c in pediatric type 1 diabetic patients.** *Diabetes Care* 25(10):1840-1844.
84. Alemzadeh R, Loppnow C, Kirby M, Parton E, Haas P. 2002. **Glucose sensor evaluation of glycemic instability in pediatric type 1 diabetes mellitus (DM) [abstract].** In: *Diabetes* 51 (Suppl. 2):478.
85. Austin J, Halvorson M, Cuthbertson D, Kaufman, FR. 2002. **HbA1c correlated with Night (N) and pre and postmeal (PP) glucose levels in pediatric type 1 diabetes using the continuous glucose monitoring system (CGMS, MiniMed) [abstract].** In: *Diabetes* 51 (Suppl. 2):12.
86. Boland EA, Brandt CA, DeLucia M, Tamborlane WV. 2001. **Making sense of glucose levels: use of continuous glucose sensors (CGMS) in children with type 1 diabetes [abstract].** In: *Diabetes* 50 (Suppl. 2):1579.
87. Boland EA, DeLucia M, Brandt CA, Ahern JJ, Tamborlane WV. 2002. **Repeated use of the continuous glucose monitoring system (CGMS) in children with well-controlled T1DM decreases the frequency of nocturnal hypoglycemia without sacrificing metabolic control [abstract].** In: *Diabetes* 51 (Suppl. 2): 479.
88. Boland EA, DeLucia M, Brandt CA, Grey MJ, Tamborlane WV. 2000. **Limitations of conventional methods of self blood glucose monitoring: lessons learned from three days of continuous glucose monitoring (CGMS) in pediatric patients with type 1 diabetes [abstract].** In: *Diabetes* 49 (Suppl. 1):397.
89. Caplin NJ, Jones TW, Davis EA. 2001. **Continuous subcutaneous glucose monitoring in an infant with hyperinsulinaemia [abstract].** In: *Pediatric Research* 49 (2-2):536.
90. De Beaufort C, Schierloh U. 2001. **Continuous glucose monitoring system: a considerable contribution to improve metabolic control [abstract].** In: *Pediatric Research* 49 (2-2):586.
91. Deiss D, Kordonouri O. 2001. **Continuous glucose monitoring system in children with diabetes and multiple daily injections (MDI): postprandial glucose concentrations under therapy with short-acting analogs or regular insulin [abstract].** In: *Pediatric Research* 49 (2-2):566.
92. DeLucia MC, Boland EA, Brandt CA, Vasconcelos M, Tamborlane WV. 2002. **How low (and high) can you go? Nighttime sensor glucose levels in healthy children [abstract].** In: *Diabetes* 51 (Suppl. 2):487.
93. Gibson LC, Halvorson MJ, Carpenter S, Kaufman FR. 2000. **Short-term use of the MiniMed® continuous monitoring system to determine patterns of glycemia in pediatric patients with type 1 diabetes [abstract].** In: *Diabetes* 49 (Suppl. 1):438.
94. Halvorson MJ. 2000. **Use of the MiniMed® continuous monitoring system in pediatric patients with type 1 diabetes [abstract].** In: *Diabetes Research and Clinical Practice* 50 (Suppl. 1):1379.
95. Phillip M, Benzaquen H, Shalitin S, Galatzer AN, Fayman G. 2001. **Use of continuous subcutaneous glucose sensor for monitoring intensive diabetic control of children and adolescents with type 1 diabetes [abstract].** In: *Pediatric Research* 49 (2-2):568.
96. Pillar G, Shusheim G, Weiss R, Nave T, Shehadeh N. 2001. **The effects of blood glucose levels on the quality of sleep in children with type 1 diabetes mellitus [abstract]** In: *Diabetologia* 44 (Suppl. 1):249
97. Schiaffini R, Ciampalini P, Spera S, Timpani S, Locatelli M, Borrelli P, Crino A. 2001. **Detection of asymptomatic hypoglycemic events by continuous glucose monitoring system (CGMS) in type 1 diabetic children [abstract]** In: *Pediatric Research* 49 (2-2):610
98. Un Bae S, Tallian KB, Johnson S, Linarelli LG. 2001. **Continuous glucose monitoring assessment before and after administration of metformin in patients with acanthosis nigricans [abstract]** In: *Pediatric Research* 49 (2-2):625
99. Zangen DH, Weksler I, Levy F, Gillis D, Devries L, Phillip M. 2001. **The use of continuous subcutaneous glucose monitoring system in hereditary persistent hyperinsulinemic hypoglycemia of infancy (PHHI) [abstract].** In: *Pediatric Research* 49 (2-2):528

## Type 2 Diabetes Mellitus

100. Boland EA, Tamborlane WV. 2000. **Continuous glucose monitoring in youth with type 2 diabetes: overcoming barriers to successful treatment.** *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S53-59.
101. Moghissi E, Mestman J. 2000. **Type 2 diabetes mellitus.** *Diabetes Technology & Therapeutics* 2 (Suppl. 1):S61-65.
102. Babu AR, Herdegen J, Kannan CR, Fogelfeld L, Shott S, Mazzone T. 2002. **Treatment of obstructive sleep apnea with continuous positive airway pressure improves 24 hour glucose control [abstract].** In: *Diabetes* 51 (Suppl. 2):1911.
103. Bartolo P, Scaramuzza A, Miselli V, Brandolini S, Cannata F. 2002. **A continuous glucose monitoring system in type 2 diabetics treated with LisPro mix 25 and premixed insulin 30/70 [abstract].** In: *Diabetes* 51(Suppl. 2):386.
104. Boullu-Sanchis S, Jeandidier N, Uhl C, Busch MS, Pinget M. 2001. **Comparison of the efficacy of short term continuous infusion using either subcutaneous lispro insulin or intravenous regular insulin to improve blood glucose of uncontrolled type 2 diabetic patients [abstract].** In: *Diabetes* 50 (Suppl. 2):425.
105. Desouza C, Salazar H, Murgu J, Fonseca V. 2002. **Association of hypoglycemia and cardiac ischemia: a study based on continuous glucose monitoring [abstract].** In: *Diabetes* 51 (Suppl. 2):589.